


e-shape


"Creating a logo is a vital part of our project's communication efforts. A well-designed logo can communicate everything from the project's background to their mission. Our logo is Unique, Innovative, Dynamic, Sustainable and has Contemporary aesthetic"

Headmaster of e-shape programm Horizon 2020










and refer to observation





W/hat e-shape is?

It's a european project bringing together key partners and projects. It builds on existing EU GEOSS actions, GEO initiatives and flagships and Copernicus-related activities and gives an excellent opportunity for Europe to maximise the impact of EO activities for the benefit of its citizen.




































e-shape

EuroGEOSS
Showcases:
Applications
Powered
by Europe


Showcases Logo




















Research Innovation Market




The disasters resilience showcase











Color palette



SCONdary



RGB 13 204 166
HEX #0DCCA6
Pantone 326 C

CMYK 95% 20% 35% 0%


HEX #0DCCA6
Pantone 326 C

CMYK 95% 20% 35% 0%

RGB 255 141 35

Typography

Whe use PF Din Display for the logotype and PF Din Text for texts. It is a clean cut and friendly for the reader font.




PF DinDisplay Regular

abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

PF DinDisplay Light

abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890



PF DinText Light

abcdefghijklmnopqrstuvwxyz


ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

PF DinText Regular abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUVWXYZ


1234567890 PF DinText Bold

abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

The e-shape project of the EuroGEOSS is poised forsuccess
















35/+30 699 000 923























